



NURSING

Hazard		Satisfactory	Needs Attention	Not Applicable	Target Date for Completion	Date Completed
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
1	Floor traffic patterns established to prevent collisions.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
2	Newly mopped or waxed areas clearly identified and barricaded.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
3	Floors waxed with non-slip material.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
4	Furniture in patient rooms safely arranged.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
5	All doors and drawers kept closed.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
6	Adjustment handles on beds turned inward.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
7	No smoking allowed in rooms where oxygen is being given.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
8	Broken glass and china immediately cleaned up and disposed of.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
9	Soiled linens checked for needles, pins, and other sharp items.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
10	All drugs, chemicals, and acids safely handled and stored.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
11	Adequate lighting and ventilation in all areas.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
12	Defective equipment, including electrical wiring, promptly reported.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
13	Patient food trays safely arranged and handled.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
14	Instruction given on proper use of oxygen and other gases.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
15	Instruction given in fire prevention and emergencies.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
16	Nurses instructed in proper lifting of patients.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
17	Proper footwear worn by nurses.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
18		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
19		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
20		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
21		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

_____ Name

_____ Date

Actions Taken to Correct Items Checked as "Needs Attention"

Hazard #	
Hazard #	
Hazard #	
Hazard #	
Hazard #	